Fuel Processing Technology 90 (2009) 1555–1560

Contents lists available at ScienceDirect

Fuel Processing Technology

journal homepage: www.elsevier.com/locate/fuproc

Subject Index

Acetic acid, 988
Acetylation, 988
Acetylene — ethanol blend, 496
Acetylene, 496
Acid treatment, 367
Acid, 599
Acidity, 863
Acidithiobacillus, 1099
Activated carbon, 107, 232, 812, 889, 952, 994, 1164, 1214, 1241, 1314, 1378, 1400, 1412, 1532
Activated carbon injection, 1388, 1406, 1419, 1424,
Activated carbon spheres, 381
Activation schemes, 952
Activation, 232
Adaptive principle component analysis, 56
Adsorption, 122, 232, 375, 381, 435, 458, 835
Adsorption properties, 180
Aerogel Ni/Al_2O_3 catalyst, 113
Air staging, 99, 465
Alcohol, 1486
Alkylation, 1220
Amine, 483
Amine reclamation, 483
Ammonia, 729
Ammonia slip, 56
Ammonium bisulfate, 56
Animal fat, 570
Anthracite calcinations, 1515
Anthracite milling in hydrocarbon solvent, 1515
Anthracite structure, 1515
Antioxidants, 1272
Ash, 871
Ash deposition, 1148
Ash formation, 1148
Aspen Plus, 330
Asphaltenes, 1286
Assam coal, 196
Atmospheric residue, 616
Australia, 1354
Average absolute deviation, 452

Ball-milled anthracite, 1515
Basic, 599
BD, 1080
Beef tallow, 570, 1164
Benzothiophene, 435
Beta adsorbent, 122
BHA, 1272
Biased firing, 1164
Bio-fuel, 705, 1265
Bio-oil, 415, 629, 738
Biobased diesel, 1265
Biodiesel, 130, 152, 204, 312, 422, 520, 570, 671, 701, 770, 922, 958, 1002, 1016, 1135, 1157, 1122, 1164, 1272, 1292, 1435, 1447, 1502
Biodiesel production, 599, 1023
Biofuels, 145, 1129
Biogas, 553
Biomass, 21, 137, 337, 353, 388, 428, 465, 472, 629, 677, 717, 914, 926, 1129, 1148, 1278
Biomass characteristics, 839
Biomass tar, 790
Boiler slag removal
Bromine, 1372
Bubbling fluidized-bed, 747
Burnout, 1207

Calcination, 825
Calcium, 137
Calcium oxide, 1252
Calcium-based sorbent, 825
Calcium-bromide, 1388
Carbon, 1364, 1430
Carbon-based solid acid catalyst, 1002
Carbon burnout, 1142
Carbon deposition, 113
Carbon matrix, 692
Carbon nanofibers, 1234
Carbon nanotubes, 367, 1214, 1486
Carbon removal, 1464
Carbon steel, 1135
Carbonation, 825
Carbonization, 889, 994
Castor Oil, 1272
Catalyst, 145, 171, 686, 1214, 1524, 1532
Catalyst activity, 770
Catalyst deactivation, 279, 1164
Catalyst evaluation, 51
Catalyst support, 770
Catalytic cracking, 51, 1087
Catalytic methane decomposition, 1164
Catalytic oxidation, 1053
Catalytic pyrolysis, 616, 705
Catalytic reactor, 747
Cation exchange resin, 857

doi:10.1016/S0378-3820(09)00314-2

CCD, 606
Cd, 576
Cellulose, 1193
CeO_2, 933
Ceramic membrane, 422
Cereals, 353
Ceria–magnesia support, 652
Cetane number, 1032, 1292
CFD model, 558, 1207
CFD, 504, 1135
CH_4-CO_2 reforming, 113
Char, 8, 797
Char separation system, 186
Charcoal addition, 16
Chemical adsorption, 812
Chemical treatment, 375
Chemical-Looping Combustion, 1471
Chemically-treated, 1388
Chicken litter, 388
Circulating fluidized bed, 664
Classifier, 1135
CO, 1053
Co catalyst, 901
CO hydrogenation, 1009
Co-firing, 1148
Co-firing coal and biomass, 1207
Co-gasification, 926, 1202
Co-liquefaction, 428
Co-precipitation, 1093
Co-pyrolysis, 337
CO_2 capture, 803, 825, 1471, 1543
CO_2 mitigation, 16
CO_2 reforming, 330
CO_2 sorbent bed material, 914
Coal, 1, 165, 388, 591, 717, 895, 926, 947, 1047, 1099, 1300, 1348, 1400, 1419
Coal additives, 1378
Coal char, 692
Coal combustion, 396
Coal fired power plants, 180
Coal fly ash, 396
Coal pyrolysis, 8
Coal slag, 1114
Coal suspension, 611
Coal water slurry, 91
Coal-biomass blends, 583
Coal-fired power plant, 643
Coal-fired power stations, 1354
Coats Redfern Method, 939
Cobalt, 367, 1486, 1494
Cobalt catalyst, 1305
Cobalt catalysts, 237
Coke, 591, 879, 1226
Coke breeze, 971
Coke combustion, 933
Coke-resistance, 790
Coking, 16
Cold ESPs, 1412
Combustion, 21, 67, 204, 513, 621, 1107, 1286
Combustion characteristics, 778
Combustion kinetics, 939
Commercialization, 1388
Common rail, 222
Compatibility, 1135
Compressive strength, 980
Concrete, 180
Continuous mercury monitor, 1392
Continuous mercury monitor (CMM), 1343
Continuous stirred tank reactor, 784
Copper, 1471
Coprocessing, 545
Cork, 621
Corn, 472
Corn stalks, 705
Corn stover, 1193
Cottonseed oil, 1002, 1087, 1157
Cracking catalyst, 1226
Cracking, 171
Cu-based catalyst, 446
Cupric chloride, 1314
Cured briquettes, 971
Cyclic CO_2 adsorption, 1543
Cynara cardunculus, 1207

DAEM, 1286
Deactivation, 446
Dechlorination time, 1524
Deep desulfurization, 435
Demineralization, 818
Deposition, 1071
Desulfurization, 1, 122, 458, 536, 835, 1452, 1459
Detonation, 558
Dew point pressure, 452
Dibenzothiophene, 317, 381, 435
Dielectric properties, 1259
Diesel, 204, 222, 1538
Diesel engine, 67
Diesel engine performance, 883
Diesel fuel, 536, 686, 1122
Diesel reference fuel (RF), 67
Diethyl oxalate, 1220
Diffusion, 1495
Diffusion limitation, 1226
Dimethyl carbonate, 1198
Dimethyl ether, 446, 1442, 1093
1,4-Dioxane, 657
Direct coal liquefaction, 490
Direct sulfation, 889
Dispersing additive, 611
Disposal, 337
Domestic fireplaces, 1053
Dry distiller grain
Dry lignite, 1071
Dual fluidized bed gasification, 137
Dual-type reactor, 279
DWI, 222
Dynamic optimization, 279

Economic analysis, 1023
Economic evaluation, 952
Efficiency, 729
Efficient, 701
Electric discharge, 343
Electrochemical decomposition, 158
Electrochemical hydrodemetalation, 212
Electrochemical metals removal, 212
Electrostatic precipitator, 1406
Electrostatic precipitator-fabric filler, 1392
Elemental mercury, 107, 812
Elemental mercury removal, 1314
Emission, 67, 513
Emission characteristics, 883
Emission control, 1378
Emissions, 204, 222, 1071, 1107
Emissions production, 1372
EN 14214, 1435
Energy evaluation, 75
Energy grain, 353

Energy recovery, 778
Engine emission, 1080
Enriched air–steam mixtures, 677
Entrained flow, 1314
EPA Method 30B, 1343
Epoxidation, 1292
Esterification, 784, 988
Ethanol, 204, 496, 1193
Ethylbenzene, 1220
Exhaust emissions, 1122
Experimental validation, 247
Exponential integral, 762
External surface, 863

Fabric filter, 107, 636
Factorial design, 1129, 1447
FAME, 1272, 1435
Fast devolatilization, 388
Fast pyrolysis, 186, 504
Fatty acid methyl esters, 1122
FCC, 171, 1226
Fe-based catalyst, 490
Fe–Cu incipient alloying, 1234
Feeding, 629
Ferrous sulfate, 1247
Filler analysis, 1424
Fischer assay, 818
Fischer–Tropsch, 367, 1009, 1214, 1486
Fischer–Tropsch synthesis, 237, 747, 849, 901, 1009, 1247, 1305, 1480
Fish, 1333
Fish-oil biodiesel, 883
Fish-oil soapstock, 130
Fixed bed, 1314
Flotation, 1, 1300, 1464
Flue gas, 643
Flue gas interactions, 1364
Fluidized, 1319
Fluidized–bed, 21, 113, 677, 895
Fluidized bed boiler, 871
Fluidized bed gasification, 914
Fly ash, 180, 1430, 1406, 1464
Flyback converter, 343
Forest fertilizer, 871
Formed coke, 971
Formic acid, 158
Fosterton oil, 1286
Fouling, 558
FT-IR, 835
FTIR spectroscopy, 965
FTIR, 657, 1300
Fuel, 222, 729, 1286
Fuel cells, 458
Fuel properties, 1080, 1157
Fuel property, 130
Fuel-bound nitrogen partitioning, 388
Fuels, 51
Fumes depollution, 1278

Gas chromatography, 1157
Gas condensate, 452
Gas oil, 686
Gasification slag, 1062
Gasification, 360, 465, 472, 629, 677, 797, 895
Gasoline, 122, 204
GC–MS, 657, 738
GC, 1032
Genetic algorithm, 279, 403
Global Optimization Toolbox for Maple, 762
Glucose, 145
Glycerol, 629, 988
Graphite, 591
Graphite precursor, 1515

H_2/CO ratio, 330
H_2S uptake, 879
HAPs, 1348
Hardener, 971
HCCI auto-ignition, 247
HDM catalyst, 264
HDPE, 1135
Health, 1333
Heat exchancher, 558
Heat recovery, 1278
Heat treatment, 1300
Heat-treatment atmosphere, 1442
Heated grid, 388
Heating value, 980
Heavy fuel oils, 270
Heavy liquids, 490
Heavy metals, 871
Hemicellulose, 1193
Heterogeneous catalysis, 671
Heterogeneous catalyst, 770, 922, 1502
Heterogeneous/homogeneous catalysis, 1016
Heterogeneous, 701
Hg, 1419
Hg oxidation, 812
High free fatty acid oil, 784
High pressure, 895, 926
High-pressure homogenization, 415
High temperature air, 664
High-temperature coal tar, 292
High unsaturated fatty acid, 130
Higher heating value, 165
Hot gas, 1452
HSS, 483
Humic acid, 375
Hybrid catalyst, 446
Hydrocarbon, 1486
Hydrocarker bottom, 531
Hydrocracking, 531
Hydroformylation, 1241
Hydrogasification, 717
Hydrogen, 360, 729, 926
Hydrogen balance, 616
Hydrogen content, 616
Hydrogen gas, 909
Hydrogen generation, 914
Hydrogen production, 158, 1164, 1234
Hydrogenation, 490, 1292
Hydroisomerization, 531
Hydroprocessing, 686
Hydrotalcite, 1502
Hydrothermal gasification, 145
Hydroxylation, 1292
HZSM-5, 863, 1220

Immersion, 1135
In situ CO_2 absorption, 914
In-bed gas upgrading, 137
In-situ FTIR, 388
In-situ pyrolysi, 1183
Incineration plant, 778
Indian coal, 196
Inferential sensor, 56
Injector configuration, 1107
Integrated model, 1062
Interaction, 958

Interactions, 583, 958
Ionic liquids, 1198
Iron, 1486
Iron carbide, 1247
Iron ore sintering, 933
Iron reduction, 1114
Iron tetranitrophthalocyanine, 317
Iron-based catalyst, 1247
Isosteric heat of adsorption, 1543

Jet fuel, 458

Karanja (*Pongamia Pinnata*) *oil, 1080*
Kinetic model, 636
Kinetic modeling, 403, 762
Kinetics, 75, 186, 247, 722, 1286, 1305
KOH activation, 381

Lard, 1447
Latent curing agent, 971
Lattice oxygen, 790
Layered double hydroxide, 909
Leaching, 1
Light cycle oil, 965
Light-olefin, 1480
Lignin, 301
Lignite, 1202
Lignocellulosic biomass, 301
Limestone, 889
Liquefaction, 1047
Liquid atomization, 270
Liquid-phase preparation technology, 1442
Loss On Ignition (LOI), 1464
Low temperature property, 1265
Lurgi process, 1202

Magnesia, 152
MBM, 388
MDEA, 483
MDF, 939
MDI – PEG, 525
Mechanochemical treatment, 909
Membrane reactors, 279
Mercury, 1333, 1343, 1364, 1378, 1392, 1412, 1430
Mercury capture, 1388
Mercury capture model, 1360
Mercury control, 1348, 1392, 1406, 1424
Mercury emissions, 1372
Mercury oxidation, 947, 1314
Mercury oxidation calculation, 1360
Mercury oxidation mechanism, 1360
Mercury oxidation model, 1360
Mercury removal, 643, 1400
Mercury speciation, 1378
Mercury transformation, 643
Mercury wet deposition flux, 1354
Mesoporous, 1452
Mesoporous spherical-silica particles, 1543
Metal oxide catalyst, 947
Metalloporphyrins electrolysis, 212
Metalloporphyrins reduction, 212
Methane, 1319
Methane combustion, 652
Methane decomposition, 1234
Methanol, 446, 1198, 1447
Methanol dehydration, 1093
Methyl ester, 513, 1532
Methylmercury, 1333
Microfiltration, 422
Microwave heating, 1259
Microwave induced catalytic reaction, 324
Mild temperature, 1047
Mixed crude palm oi, 784
Mixed marine fish, 883
Mixed plastics, 545
$Mn/Na_2WO_4/SiO_2$, *1319*
Model compound, 292
Model reduction, 247
Modeling, 165
Modified, 889
Modified bitumen, 525
Molecular distillation, 738
Molecular oxygen, 317
Moving bed, 1202
Multi-stage fluidized bed, 137
Multiphase flow, 1135

n-Butene, 863
Na_2CO_3, 889
Nano-CuO, 1452
Nanosized catalyst, 1480
Neural fuzzy system, 452
Ni, Cu and Co active component, 652
Ni doping, 863
Ni/mayenite, 790
NiMo /Al_2O_3, 490
Nitric oxide, 8, 396
Nitric oxide reduction, 947
Nitrogen oxides removal, 343
Nitrous oxide, 8
NMR, 1157
NO, 576, 664
NO_x emission, 933, 1142
NO*x* reduction, 99
Non-isothermal thermogravimetry, 939
Non - Newtonian Bingham plastic, Cell
Numerical validation, 247

Octane number, 1032
Oil, 337
Oil cut, 1459
Oil shale, 818
Oil shales, 1259
Oil yield, 818
Olefin, 835
Olefins, 1241
Olive residue, 722
Olive residue/plastic mixtures, 722
Optimization, 606, 958, 1532
Organic pollutant, 158
Oriental white oak, 186
Oxidation, 435, 1265, 1388
Oxidation degree, 1247
Oxidation stability, 1272, 1292
Oxidative coupling, 1319
Oxidative coupling of methane, 403
Oxidative desulfurization, 317, 411, 435, 965, 1538
Oxidized mercury control, 1364
Oxy-fuel combustion, 797, 889
Oxygen carrier, 1471
Oxygen enrichment, 553

Packed bed, 360
Palm oil, 422, 606
Particle analysis, 1114
Particle modeling, 504
Particle size distribution, 871
Particleboard, 939

Particles, 576
Particulate collector, 107
Particulate matter, 353
Particulates, 222
Pb, 576
Pd–Ag membrane, 747
PEEK, 232
Pellet quality, 1129
Pelletisation, 621
Performance, 67, 729
Permeation, 1495
Pervaporation, 458
Petroporphyrins, 212
Phosphomolybdate, 1538
Phosphoric acid, 889, 994
Physical properties, 1122
Physicochemical properties, 415
PID regulation, 1278
Pilot plant, 367
Pine sawdust, 621
Piston-mold process, 889, 1041
Plastic waste management, 545
Plastic, 428, 722
Plywood, 939
Pollution control, 1183
Polyoxometalate, 411
Poon oil, 513
Pore size, 1226
Pore structure, 692, 1183
Porosity, 692, 889, 994
Porous carbon, 1183
Potassium iodide, 922
Potassium-loaded mesoporous catalyst, 958
Potassium permanganate ($KMnO_4$), 324
Pre-esterification, 857
Pre-swelling treatment, 1047
Precursor, 1252
Preparation of catalysts, 264
Pressurized fluidized bed, 778
Process design, 1023
Product Engineering, 525
Product pricing, 952
Product utilization, 1032
Product yields, 952
Propane dehydrogenation, 1524
Propene, 1524
Properties, 686
Pulse detonation, 558
Pulverised coal, 797
Pulveriser, 1135
Pulverized coal combustion, 664
Pyrite, 1099
Pyrolysis, 75, 496, 545, 583, 717, 722, 762, 1032, 1265, 1278, 1286
Pyrolysis conditions, 186

Quaternary ammonium salt, 1538

Random pore model, 1062
Raney-type catalysts, 1234
Rapeseed, 1016
Rapeseed oil deodorizer distillate, 857
Rapid pyrolysis, 705
Rate of energy release, 1107
Raw materials, 952
Reaction kinetic, 1164
Reaction mechanisms, 1372
Reaction runaway, 1278
Reactivity, 797
Reburning, 396
Recombinant yeast, 1193
Recovery rate, 1538
Recyling, 545
Redox, 1319
Refining, 422
Reforming, 553
Regression analysis, 165
Relative accuracy test audit (RATA), 1343
Renewable energy sources, 839
Resid, 51, 171
Residence time, 75
Residential combustion, 353
Residue, 490
Resins, 988
Resole, 971
Response surface methodology, 1532
Reverse flotation, 1300
Review, 849
RH, 576
Rheology, 91
Rhodium, 1241
Rice bran, 980
Rice husk, 465
Rice husk ash, 825
Rice straw, 889, 980, 1041
RSM, 606
Ruthenium promoter, 237

Sawdust, 1129
SBA-15, 237
Scaling-up, 677
SCR, 947
Seafood, 1333
Selectivity, 1214
Selenium, 1333
Separation, 738
Sewage sludge, 778
Silica modified γ-alumina, 1093
Simultaneous desulfurization and denitrification, 324
Simultaneous saccharification and fermentation, 1193
Slagging, 839
Slurry bubble column reactor (SBCR), 901
Slurry reactor, 446, 1305, 1442
Slurry, 629
SMD, 270
SO_2 removal, 636
SO_3, 1419
Solar, 360
Solid base catalyst, 1252
Solid-acid catalysts, 1093
Solid base catalysts, 152
Solid biomass fuel, 980
Solid catalyst, 520
Solid fuel briquette, 889, 1041
Solid polymer electrolyte, 158
Soot, 496
Sorbent, 1364, 1406, 1452
Sorbent capture performance, 803
Sorbent injection, 107, 1392, 1400
Sorbent prices, 803
Sorbents, 1378
Sorption–desorption cycle, 803
Sour gas, 483
Soybean oil, 312, 671, 922
Soybean oil methyl esters, 1122
Speciation, 1148
Spent hydroprocessing catalysts, 264
Stability, 91, 415
Standard diesel, 513

Steam, 895
Steam hydrogasification, 330
Steam reforming, 330, 790
Stirred tank slurry reactor (STSR), 901
Sub-bituminous coal, 1412
Subcritical, 428, 657
Subcritical water, 145, 301
Sulfur, 1099
Sulfur compounds, 411
Sulfur species, 536
Sulfur-retention agents, 91
Sundance 5, 1412
Sunflower seed shell, 839
Supercritical, 428, 657, 849
Supercritical combined technology, 1480
Supercritical phase, 1480
Supercritical water, 292
Support, 1214
Support vector regression, 56
Surface area, 692
Switch grass, 301, 839
Synergistic, 657
Syngas, 360, 472, 553, 1442, 1471
Synthesis gas, 330

Taguchi method, 1, 889, 1041
Tar elimination, 137
Tars, 75
Temperature, 75, 879
Temperature profiles, 1071
Terminalia belerica Robx., 1435
Ternary gasoline surrogate, 247
TG/DTA, 705
TGA, 797
Thermal cracking, 1087
Thermal studies, 196
Thermally resistant, 232
Thermodynamic modeling, 1114
Thiopenes/dibenzothiopenes, 536
TOC, 1259
Torrefaction, 629
TOXECON, 1400, 1424
Toxecon^{TM} II, 1406
Trace elements, 1348, 1392
Transesterification, 152, 312, 513, 599, 606, 671, 701, 770, 857, 958, 1002, 1016, 1157, 1164, 1252, 1447, 1502
Transesterification process, 770, 1080
Transformation, 879
Transport parameters, 1495
Tri - potassium phospate, 520
Tributyrin, 1252
Trimerization, 863
Twin-fluid atomizers, 270
Two-zone, 1319
Tyre pyrolysis oil (TPO), 67

Ultrasonic irradiation, 1164
Ultrasonication, 1016
Ultrasound, 312
Unburned carbon, 99, 375, 396, 1062
Underground coal gasification, 1495
Upgrade, 292
Urea, 1198
USY zeolite, 1226

Value-added chemicals, 301
Vane, 1135
Vegetable oil asphalt, 1002
Vegetable oils, 686
Vehicle exhaust treatment, 343
Vehicles, 729
Vine shrots, 621
Viscosity, 91
VOC, 1053
Volatile organic compounds, 1183
Volatiles, 889, 994

Waste polymers, 1032
Waste tire, 337
Waste-tyre, 1202
Waste wood, 939
Wheat, 472
Whirl burner, 1142
Wood combustion, 1053

X-ray crystallinity, 196

Y-zeolite, 171

Zeolite, 324, 835
Zeolite Y, 1459
Zirconia, 152
ZSM-5, 1524